

Safety. Design. Confidence.



step

safety vinyl

creating better environments

forbo

FLOORING SYSTEMS

Safety. Design. Confidence.

Content

Introduction Safety. Design. Confidence.	2
Your steps; Sure and Safe	3
Slip resistance explained	4
Step: a versatile performance product	5
Safety flooring classification guide	
for commercial and industrial areas	6
Surestep- Original & Star	8
Surestep Wood, -Mineral, -Stone & -Texture	10
Safestep R11 & R12	12
Safestep Aqua & Surestep Laguna	14
Floorcare / Installation	16
Sustainable safety from Forbo Flooring	18
Technical details Step collection	20
More Forbo flooring	22

- **Safety vinyl flooring with sustainable slip resistance for the guaranteed life of the product.**
- **The widest offering and contemporary visuals of PUR finished R10, R11 and R12 safety flooring.**
- **Fit for purpose in both visual, low lifecycle costs and non slip performance, the total collection offers solutions for all major specified slip resistant areas.**
- **Unique and attractive solutions for wet room applications, offering the best in barefoot, but also combined barefoot and footwear slip resistance in a comfortable way.**
- **NEW unique, innovative slip resistant “Step Crystals” that provide security, a clean, modern and fresh design, easier cleaning and an improved Life Cycle Assessment.**
- **A revolutionary new flooring concept optimized for its environmental performance by using recycled content and recycled components.**





Your steps; Sure and Safe

surestep®

Sustainable R10 slip resistance: all Surestep products, are non-slip particle enhanced and can be applied in all types of general walking areas, where an increased slip risk may occur. Surestep offers lasting performance and keeps looking good with easy regular cleaning.

Typical areas;

High traffic areas, corridors, ramps, special areas such as coffee corners, washrooms, toilets, crafts class rooms, public rooms etc..

Collections;

Surestep Original, - Star, - Wood, - Stone, - Mineral and - Texture.

Most relevant Slip resistant norms:

EN13845 / DIN 51130 (R10).

safestep®

Safestep products are applicable in areas where a higher slip risk is identified because of incidental, accidental or continuous active contamination of the floor. In these areas it is simply not possible to prevent spillage, due to the type of work environment. The intensity of the activity identifies the type of product to use.

Typical areas;

Professional kitchens, light industrial food production, florist shops, garden centres.

Collections;

Safestep R11, Safestep R12.

Most relevant Slip resistant norms:

EN13845 and DIN51130 (R11, R12).

wetroom

Wetroom flooring products are developed for use in continuously wet areas, where water flows frequently and barefoot traffic is the standard or a combination of barefoot and footwear traffic occurs.

Typical areas;

Shower tray, spa/pool surrounding, changing rooms, locker rooms.


Collections;

Surestep Laguna, Safestep Aqua.

Most relevant Slip resistant norms:

EN13845 and DIN51097 for wet-loaded barefoot use.

Slip resistance explained



A sustainable, lifetime performance as a result of particles throughout the matrix of the product is the requirement to comply with EN 13845. This standard specifies the requirements that must be met to ensure durable slip resistance in varying degrees of usage intensity. All Step floors comply with EN13845.

For products used in barefoot areas, DIN51097 applies. The testing method is similar to that of the DIN 51130, but this time the product is flooded with a 'soap and water' solution, a testing method that is more relevant to the barefoot application. The Step range also offers unique solutions up to the highest class in barefoot safety performance. By choosing the right Step floor for the right application one can prevent the potential for accidents caused by slipping significantly.

Floors are often evaluated on slip resistance performance by using the R-scale, which is linked to the Din 51130 standard. Measuring slip resistance on a ramp covered with oil at different angles and thereby resulting in different classes of slip. Step safety flooring is covering the most relevant classes of R10 to R12, in a comprehensive range of products that are used in conditions where footwear is the standard.

Step: a versatile high performance product

Forbo's engineered layered construction of all Step products offers the best in heterogeneous product properties delivering optimal performance.

The performance of Step starts with its compact calendered backing that allows high static and dynamic loads and minimizes residual indentation. In addition the backing of our Step products is consisting for 70% out of controlled recycled material, delivering environmental performance as well. The flexible reinforced glass fleece offers optimal dimension stability. The important slip resistant performance is delivered at the top of the product.

Recycled Step Crystals are present in the upper layers of the product and the PUR protection delivers a silk matt finish that optimizes appearance retention and is guaranteed for warranty lifetime and beyond. Even under high traffic conditions maintenance properties are world class and the beauty of the product is not endangered throughout its life time. PUR finishes are tough and resistant against scratches and offer optimal stain and chemical resistance as required in many applications. Most of the Step products come with a PUR Pearl embossing: a natural matt surface gloss

that has a structure which allows easy cleaning and maintenance, dirt and soil repellent on a very high hygienic level. Step Wetroom embossing structures are designed for purpose: organic and hygienic; yet comfortable and attractive. Forbo has designed all Step products to have the cleanest possible visual look, not jeopardizing the functionality of the product. For this purpose the Step Crystals were developed, which are used in many of our designs.


Step Crystals offer a clear design visual and will decrease soiling further due to its small particle size. Step Crystals also are a sustainable choice since they are made from recycled material. Additional design changes were made to clean up and brighten the particle look of our products (see picture).

Apart from the Surestep Design products, such as Wood, -Stone, -Mineral and – Texture, all coloured Step products are produced with a pure PVC pigmented top layer.

Step is:

- A suitable, durable slip resistant floor covering...
- that is very easy to clean and maintain...
- with flexible glass fleece reinforcement for superior dimensional stability...
- a matt surface design for natural appearance...
- with a wide range of colours and natural designs for creative solutions...
- that can be combined with other Forbo flooring solutions.

Before



Now



What to use where

Forbo's new Step safety flooring collection provides a complete range of floor coverings that are designed to meet safety requirements in a wide range of applications. All products in the Step collection meet and exceed strict Health and Safety Executive (HSE) and European standard requirements.



surestep® R10

General and spillage areas with increased (a higher) slip risk

- General workrooms areas
- Wet cellars in food and beverage production
- Kitchens: thawing, coffee related, hotels and station
- Acceptance for packaged (meat) goods
- Areas for packaged goods
- General storage areas
- Parking areas
- School areas: toilets, kitchens
- Healthcare: sterilization, sewage, section, wash/bath room
- Wet areas in food and beverage production
- Kitchens, dining rooms
- Outlets, commercial spaces
- Rooms in health / welfare care
- Storerooms
- School and kindergartens
- Operational infrastructure



safestep® R11

Areas with increased slip risk due to accidental or continuous contamination

- Gourmet kitchens up to 100 meals a day
- Community kitchens for meals in public areas
- Cold rooms for packaged goods
- Acceptance and operation of meat products
- Washing machine areas with wet laundry removal
- Food production
- Ceramic industry: wet milling, mixers and presses
- Loading and processing of glass and stone
- Milk processing, cheese production
- Chocolate and Confectionery Manufacturing
- Manufacture of bakery products
- Wet areas in food and beverage production
- Kitchens, dining rooms
- Schools: crafts and woodworking machinery and other specialist rooms
- Cold rooms, freezer rooms, cold stores, freezer houses
- Outlets, commercial spaces
- Rooms in health / welfare care
- Laundry
- Leather and textiles production
- Ceramic industry
- Concrete buildings
- Chemical and thermal treatment of iron and metal
- Metalworking, metal processing, metal workshops
- Workshops for vehicle maintenance
- Workshops for the maintenance of aircraft
- Operational infrastructure



safestep® R12

Light industrial usage

- Production and processing of most dairy products
- Manufacturing of bakery and associated products
- Slaughter and meat processing
- Vegetable processing
- Gourmet kitchens over 100 meals a day
- Cold rooms for unpackaged goods
- Paint shops with wet grinding
- Ceramic industry: casting and glazing area
- Wastewater treatment plants
- Next to outdoor loading and oblique ramps, fuelling areas
- Manufacture of margarine, edible fats and oil
- Milk processing, cheese production
- Chocolate and confectionery manufacturing
- Slaughter and meat processing
- Kitchens, dining rooms
- Cold rooms, freezer rooms, cold stores, freezer houses
- Outlets, commercial spaces
- Leather and textiles production
- Paint shops
- Ceramic industry
- Storerooms
- Chemical treatment of iron and metal
- Metalworking, metal processing, metal workshops
- Workshops for vehicle maintenance
- Wastewater treatment plants
- Fire brigade
- Operational infrastructure

surestep® laguna

Wetroom areas, predominantly barefoot use, but also accessed by footwear

- Continuously wet areas, mainly barefoot but also footwear
- Changing rooms in combination with footwear
- Bathrooms in combination with footwear
- Locker rooms

safestep® aqua

Spa's, showers and swimming pool areas

- Continuously wet areas, barefoot and soft shoes
- Walk-in showers
- Hydrotherapy areas
- Indoor swimming pool areas

surestep® original

Surestep Original

The fresher looking alternative to the conventional safety flooring visual, hardwearing 100% PVC wearlayer. Improved cleaner, brighter visual. A palette of 24 colours, build up in coordinated colour gradations of saturation/hue/lightness.


Surestep Star

Innovative, muted and sophisticated. The holographic chips adds colour to the natural and neutral colour series. Colour tones of today, all with hints of grey, provide a uniquely refined identity. 100% PVC wear layer, with added holographic large chip. Improved cleaner visual. Particles colour match the terrazzo/ natural base color of each item. Neutral and natural tones of today, available in 13 colours.

R10, ESf, TRRL≥36, Rz≥20



171082
snow




171422
trout



171032
smoke



171302
pale



171842
pistachio



171442
jade



171282
dragon



171712
sky




171952
elephant




171812
taupe




171842
pistachio



171262
umber




171132
bianco




171362
clay



171562
pepper



171512
oyster




171222
dune




171532
sun




171602
plum




171332
violet



171962
steel



171642
cloudy



171732
storm



171992
charcoal



171782
night



176362
clay




176082
snow



176032
smoke



176422
trout



176072
pewter



176922
concrete



176262
umber



176272
raisin




176082 | 176072
snow | pewter



176952
mercury



176692
mouse



176412
forest



176982
carbon



176282
dragon



176952
mercury



176412
forest

Surestep Wood

Natural designs, realistic and close to nature, for areas with a warm ambience. The popular Wood designs are included and all have a clear and sharp wood visual with the practically invisible 'Step Crystals' for slip resistance. New are the abstract woods, allover designs for both very small (pantry) and larger applications. Matching with other Forbo wood or stone designs in sheet or plank/tile formats.

Surestep Wood Decibel

All colourways are also available as Surestep Wood Decibel on request, which offers 17db impact sound reduction. A combination of classical woods which also have a non-slip equivalent for adjacent areas.

Surestep Stone

True to life stone floor designs with a modern look, for contemporary areas. Both in a series of concrete design and in a black and white granite all-over stone variety. A range with a hard and solid appearance, in straightforward colours, dark & light, warm & cool. Enriched by both carborundum or Step Crystals particles for realistic visuals.

Surestep Mineral

A unique mineral design; a small speckle with a monumental gesture for large areas. A unique new trend of focused design with a unique look. The chips in the transparent wear layer create depth and add refinement to the floor.

Surestep Texture

A trendy focused design with a subtle textile impression, for a soft and elegant look & feel. A textured embossing enhances the tactility and the gentle look of the visual. Both. Mineral and Texture, are in a natural colour range. With Step Crystals, to have a not so obtrusive, non compromised safety floor.


R10, ESf, TRRL≥36, Rz≥20.



18802
elegant oak




18802
elegant oak




18462
middle beech




18242
sunny beech




18662
pear



17092
white granite




18552
natural seagrass



18542
white seagrass



18942
natural oak




18942
natural oak




18362
chestnut



89922
cloud



89912
opal



17112
sand concrete



17112
sand concrete



89922
cloud



89932
sepia




17142
warm concrete



17162
grey concrete



17132
blue concrete



17122
cool concrete



89022
cotton



89032
linnen



89082
felt



89982
shadow




89952
grape



89012
leather



89012
leather




18562
grey seagrass



17072
anthracite granite



89092
indigo



18572
black seagrass



18932
rustic oak



18792
dark oak



18562
grey seagrass



17172
black concrete

safestep® R11

Safestep R11


A range of 8 colours, matching the target applications - including professional kitchens - for hygienic and clean appearance. All available R11 colours match with a Surestep collection item. Like with Original, and compared to other safety flooring on the market, the amount of black particles is reduced to realize a friendlier floor visual. A combination of high slip resistance and high hygienic standards, ideal for areas with a higher general need for enhanced slip resistance. Safe and long lasting and with PUR Pearl coating for easy cleaning and maintenance.

R11, ESf, TRRL≥40, Rz≥45

Safestep R12

A range of 4 soil hiding colours, matching the application in light industrial areas. All colours match with a Surestep item and with Safestep R11. Long lasting, high slip resistant R12 rated floors ensure slip resistance under even the most extreme conditions.

R12, ESf, TRRL≥50, Rz≥60



174362
clay



174262
umber



174642
cloudy




174642
cloudy



174962
steel



174562
pepper



174992
charcoal



174262
umber



174032
smoke



174952
elephant



174992
charcoal




175032
smoke

175032
smoke



175952
elephant



175962
steel



175992
charcoal

This is innovation in wetroom flooring and Forbo at its best when combining functionality with design. Two completely new products brought in a fresh, contemporary and suitable for application, colour scheme.

Safestep Aqua

This modern, organic design with a new and unique embossing shape is designed for barefoot (and soft soled shoes) areas. A flexible product, that can easily be installed to the specific requirements of these areas; but most importantly will perform on the highest barefoot class. The clean and modern collection content fits the hygienic and sensitive requirements of the application areas, like bathrooms and swimming pool areas.

Class C, R10, ESb, TRRL≥36, Rz≥20.

Surestep Laguna

This product combines barefoot and footwear slip resistance, for areas where both are likely and frequently will take place. Complying to the relevant norms for both products it can cover all transition areas, like changing rooms and circulation areas. The subtle, soil hiding particle is integrated in the visual, offering a clean and fresh look.


Class B, R10, Esf + ESb, TRRL≥36, Rz≥20.




180012
misty



180012
misty




180262
trout



180152
smoke




180292
pale



180182
tender



180232
taupe



180202
oyster



180322
jade




180052
slateblue



180092
elephant




180352
steel




180122 charcoal
180052 slateblue



180052 slateblue
181262 trout
180352 steel



181182
tender



181012
misty



181202
oyster




181202
oyster



181262
trout



181152
smoke



181292
pale



181232
taupe




181232
taupe



181092
elephant



181352
steel



181122
charcoal



181052
slateblue

Step **FloorCare**

The Forbo Surestep slip resistant vinyl collections are easy to clean and maintain, thanks to their highly durable PUR pearl and PUR coated surfaces.

surestep®

Cleaning after installation

Remove all debris, dirt and dust off the floor and clean the floor with a neutral floor cleaner. For larger areas a scrubber dryer or a rotary machine with a suitable cleaning pad may be used. Pick up dirty water with a wiper and mop or wet vacuum, rinse with clean water and allow floor to dry.

Regular cleaning

Wipe with a dust mop and dust cloth, or vacuum the floor.

Remove spots with a damp mop.

Spray clean with a rotary machine and a buffing pad, use spray where necessary.

Occasional maintenance

Scrub with cleaner, a rotary machine and a scrub pad.

Pick up dirty water with a wiper and mop or a water vacuum.

Rinse with clean water and a mop.

Allow the floor to dry.



safestep® R11, safestep® R12, safestep® aqua, surestep® laguna

Cleaning after installation

Remove all debris, dirt and dust off the floor. Vacuum clean and/or sweep the floor thoroughly then scrub with a neutral detergent. For larger areas a scrubber drier or rotary machine with a suitable brush or a cylindrical brush machine e.g. Rotowash/Multiwash, will be most effective. Pick up dirty water with wiper and mop or wet vacuum, rinse and allow floor to dry.

Regular cleaning

Vacuum or sweep the floor to remove loose dirt and dust.

Manual Cleaning – Scrub with a neutral detergent (ph7-8) and a scrubbing brush. Remove dirty water with a wiper and mop.

Machine Cleaning - A combined scrubber drier or rotary machine with a suitable brush or a cylindrical brush machine e.g. Rotowash/Multiwash, will produce best results on larger areas. If the floor is heavily soiled, a stronger detergent with a ph of around 10 can be used. Rinse well afterwards with clean water.

Periodic cleaning

Clean the floor periodically using the manual or machine methods above. Clean heavily soiled areas with a concentrated cleaning solution, which should be allowed to soak on the floor for a few minutes before scrubbing. Rinse well with clean water afterwards. High pressure cleaning is an alternative method to scrubbing provided the excess water can be dealt with.

N.B. Do not use seals or polishes on Step Ranges as the slip resistant properties could be reduced.

For more information: www.forbo-flooring.com.

Step Installation



Coving

Covings are used to cover the transition between horizontal and vertical parts, by installing a strip of flooring material over a cove former profile. When applying covings always use pressure sensitive (contact) adhesive for installation of both the cove former and the strip and ensure that the material is firmly pressed into position. Check the adhesive instructions for detailed information. The horizontal and vertical seams can be sealed by hot welding.

Drains

- Use floor drains with clamping covers
- Minimum fall to drains in wetrooms 1%
- Drains > 30cm from the wall.
Some regulations allow 15 cm but more makes installation easier



New speckled welding rods

Matching welding rods are developed for each collection item. Some welding rods might be applicable for multiple floor items. New to the market are 10 new colours in a speckled design which matches the floor and visually hides the welding rod.

Seams in safety vinyl can be made impervious by using the hot welding technique. The seams in the flooring material are routed out, usually 2/3 of the total thickness. After thorough cleaning, the weld is made using the hot air gun and special nozzle available to perform the task properly. Finally the weld is trimmed in two stages. First, trim off the excess material using a quarter moon knife and seam sledge. After the weld has completely cooled down, the final trimming should be performed with the quarter moon knife only. For straight angles in vinyl, a special triangular welding rod is available. This type also requires routing before welding, but nail trimming of the welded seam may be skipped. Always follow the instructions, provided with the weld rod.



Installation advise

On the backing of Step there is an imprint, showing the direction of production and advice on the installation direction. Installation direction is also found on the roll label.

• All over designs: reverse installation

Surestep – Original, Star, Stone, Mineral, Laguna
Safestep – R11, R12, Aqua

• Directional designs: install in one direction

Surestep – Wood, Texture

Adhesives

Adhesive advice for compact (and acoustic) sheet vinyl installation is:

- 540 Eurosafe Special
- Solvent free; project vinyl specific
- 640 Eurostar Special
- Solvent free; Low Emission EC1
- Locally, the adhesive advice can differ

For more information about Service Products and System Solutions contact your sales office or visit the website

www.forbo-flooring.com

With the focus on LCA improvement, the key developments for the new Step collection can be summarised as follows:

- Internal recycling of all production waste from safety products
- Increased recycled content in the backing layer; from 39% to 70%
- Overall improvements by using Step Crystals: a recycled by-product, requires lower energy to produce, resulting in clearer visual and less soiling; therefore less water usage for cleaning in use phase

All other Forbo's sustainable usp's remain;























- Better for the Indoor air quality; AgBB compliant and TVOC<250 µg/m³
- Compliant* to the REACH substances list
- Produced with 100% green electricity
- Water based inks used in printed designs
- Low requirements for cleaning and maintenance, reduced water and detergent use
- Forbo Spray method suitable for all R10 products, 100% biodegradable, no chlorine, pH neutral
- A 100% recyclable product






Technical specifications

Step meets the requirements of EN - ISO 10582 & EN 13845

			Surestep Original Surestep Star	Surestep Wood Surestep Stone Surestep Mineral Surestep Texture	Safestep R11	Safestep R12	Safestep Aqua	Surestep Laguna
	Total Thickness	EN - ISO 24346	2.0 mm	2.0 mm	2.0 mm	2.0 mm	2.0 mm	2.0 mm
	Thickness wear layer	EN - ISO 24340	0.7 mm	0.7 mm	0.7 mm	0.7 mm	0.7 mm	0.7 mm
	Commercial very heavy	EN - ISO 10874	Class 34	Class 34	Class 34	Class 34	Class 34	Class 34
	Light industrial	EN - ISO 10874	Class 43	Class 43	Class 43	Class 43	Class 43	Class 43
	Collection size		24 - 13	12 - 8 - 5 - 5	8	4	12	12
	Roll Width	EN - ISO 24341	2.00 m	2.00 m	2.00 m	2.00 m	2.00 m	2.00 m
	Roll Length	EN - ISO 24341	20 - 27 m	20 - 27 m	20 - 27 m	20 - 27 m	20 - 27 m	20 - 27 m
	Total Weight	EN - ISO 23997	2.75 kg/m ²	2.75 kg/m ²	2.75 kg/m ²	2.75 kg/m ²	2.75 kg/m ²	2.75 kg/m ²
	Dimension Stability	EN - ISO 23999	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
	Residual Indentation	EN - ISO 24343-1	≤ 0.05 mm	≤ 0.05 mm	≤ 0.05 mm	≤ 0.05 mm	≤ 0.05 mm	≤ 0.05 mm
	Castor Chair	EN 425	No effect	No effect	No effect	No effect	No effect	No effect
	Use in Wet areas	EN 13533	Yes	No	Yes	Yes	Yes	Yes
	Light fastness	EN - ISO 105 B-02	≥6	≥6	≥6	≥6	≥6	≥6
	Flexibility	EN - ISO 24344	ø 10mm	ø 10mm	ø 10mm	ø 10mm	ø 10mm	ø 10mm
	Slip resistance	EN 13845 Annex C	ESf	ESf	ESf	ESf	ESb	ESb / ESf
		EN 13845 Annex D 50.000 revolutions <10% loss	Pass	Pass	Pass	Pass	Pass	Pass
		DIN 51130	R10	R10	R11	R12	R10	R10
		Din 51097					Class C	Class B
	Chemical resistance	EN-ISO 26987	Very Good	Very Good	Very Good	Very Good	Very Good	Very Good
	Electrical resistance	EN 1081 (R1)	> 1.10 ⁹ Ω	> 1.10 ⁹ Ω	> 1.10 ⁹ Ω	> 1.10 ⁹ Ω	> 1.10 ⁹ Ω	> 1.10 ⁹ Ω
								EN 14041  0200101-DoP-306
Step meets the requirements of EN 14041								
	Reaction to fire	EN 13501-1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1
	Body Voltage	EN 1815	< 2kV	< 2kV	< 2kV	< 2kV	< 2kV	< 2kV
	Thermal Conductivity	EN 12524	0.25 W/m.K	0.25 W/m.K	0.25 W/m.K	0.25 W/m.K	0.25 W/m.K	0.25 W/m.K
	Slip resistance	EN 13893	DS: ≥0.30	DS: ≥0.30	DS: ≥0.30	DS: ≥0.30	DS: ≥0.30	DS: ≥0.30

surestep®
safestep®

Construction



Scratch resistant **PUR Pearl**
with anti-slip particles

Clear and coloured wearlayer
with anti-slip particles

Glass fleece
for dimensional stability

Compact backing
with 70% recycled content

Benefits

A durable floor covering combining outstanding slip resistance, up to R12, with a wide range of design possibilities. The PUR Pearl surface provides superior, long-lasting appearance and performance.

- R10, R11 and R12 in anti slip enhanced performance
- PUR Pearl lacquered surface providing easy cleaning and maintenance
- Low gloss surface for scuff and a natural look
- Transparent or coloured durable wear layer for a long-lasting appearance
- High recycled PVC content
- Widest design variety in safety flooring

More Forbo flooring



allura



eternal



marmoleum



Allura Luxury Vinyl Tile

The all new Forbo Allura collection presents the ultimate finesse in realistic natural and abstract designs that have been created with state of the art production techniques and processes to create the most realistic and natural material expression in luxury vinyl tiles. Available in 5 individual collections, from glue down to loose lay and click systems.

Eternal

Eternal is Forbo's general purpose Project vinyl offer. Within our Eternal general purpose project vinyl collection you'll discover a combination of state of the art designs in a strong durable, fit for purpose range – whatever your application. The collection presents a balanced range of wood-, stone-, and abstract designs, alongside with a comprehensive modern colour palette that complements your interior design.

Marmoleum

As the world market leader in Linoleum flooring solutions, Forbo offers a huge range in natural linoleum floor coverings as well as surface linoleum for furniture and wall covering. Over a 100 years of experience and modern manufacturing techniques today create the most durable and sustainable resilient floor covering available. Made from linseed oil, rosin, wood flour and limestone, linoleum is a truly natural product that can be applied in a wide range of commercial and residential environments.



entrance flooring



flotex



tessera



Entrance flooring

Creating better environments starts at the entrance of any building. To avoid water, sand, mud and gravel being carried into the building a proper entrance floor is a good line of defense. Coral entrance floors are created to absorb moisture and scrape dirt of shoes and wheel that find their way into a building. Entrance floors can reduce cleaning and maintenance costs and give the floors inside the building their optimum appearance retention.



Flotex Flocked flooring

Flotex floor coverings are high tech textiles which are characterized by the fact that they combine comfort and warmth underfoot with excellent properties for cleaning and hygiene. The dense nylon 6.6. fibre surface (over 70 million per square metre) creates a hard wearing and extremely durable floor that withstands high traffic and heavy loads. The Flotex designs come in a great variety of colourways. Digital printing assures both bright and natural colour tones with which an infinite number of designs and collections can be created.



Tessera

Forbo offers a wide range of contemporary high quality tufted loop-, cut&loop- and cutpile carpet tiles for office and leisure environments. With over 20 ranges the offer covers a wide spectrum of design, price and quality that can match any competitive offer.